

TOP-MOUNTED SYSTEM

AK-FLEX





TOP-MOUNTED SYSTEM AK-FLEX

ON THE WINDOW

AK-FLEX - From classic roller shutters and venetian blinds to ZipTex textile sun protection.

On request, the system can be equipped with integrated insect protection for AK-FLEX . You can choose from a wide range of decorative foils and ALUKON colour options.

More products and innovations can also be found at WWW.ALUKON.COM





Privacy protection

more privacy in your own home



Insect protection

can be integrated into AK-FLEX, keeps annoying insects away



Sun protection

pleasant indoor climate, even on hot summer days



Energy saving

excellent thermal insulation



Anti-burglary protection

an additional barrier for your safety, deterring intruders



Sound protection

offers the highest level of sound protection





Easy to install

the box can be easily snapped onto the window frame using the adapter profile



Ease of use

conveniently by electric drive or simply with belt, cord or crank operation



Stability

Profiles made of corrosion-resistant aluminium - solid, durable, low-maintenance and recyclable



Weather protection

the connection to the window is already windproof thanks to the snap-in adapter profile without the need for additional measures no additional seals need to be implemented



Facade design

Curtains and guide rails in many different colours



Made in Germany

durable, high-quality materials

AK-FLEX TOP-MOUNTED BOX ROLLER SHUTTER AS EXTERNAL VENE-VENETIAN ZIPTEX INSPECTION ROLLER SHUTTER INPSECTION **CLINKER VERSION** TIAN BLIND AS BLINDS INSIDE OR **INSIDE or OUTSIDE CLINKER VERSION** OUTISDE

FOAMED TOP-MOUNTED BOX

FOR NEW CONSTRUCTION AND RENOVATION

The foamed top-mounted box AK-FLEX is specially designed for new buildings or renovations together with the entire window and meets the current requirements for both thermal and sound insulation.

You can use the AK-FLEX for all wall structures and installation situations. Regardless of whether thermal insulation composite system, exterior plaster, clinker or slate facade, the AK-FLEX universal box can always be used. Its flexibility and the possibility to adapt its external dimensions to the building situation makes it particularly suitable for prefabricated houses or requirements for fixed wall thicknesses.



Sound protection

offers the highest level of sound protection.

Depending on the type of box, values of up
to 46/47 dB can be achieved without
complex additional measures



Facade design

depending on requirements with roller shutter, external venetian blind or ZipTex curtain available



thanks to the snap-on adapter profile, the connection to the window is made without additional windproof sealing



Insect protection

integrated insect protection available

GLASS SLIP GUARD PROTECTION FOR AK-FLEX



ROLLER SHUTTERS

GLASS SLIP GUARD PROTECTION

CAN BE INTEGRATED INTO AK-FLEX

The ALUKON slip guard protection is a modern, discreet solution for floor-to-ceiling windows. It provides unrestricted visibility to the outside and more daylight intake in the rooms.

Planning is carried out directly with the top-mounted box AK-FLEX. The 16 mm laminated glass (according to AbP) is inserted into the waterproof, multi-part guide rail between the window and roller shutter or venetian blind and fastened in a concealed manner.*






Quick and easy installation

directly with the top-mounted box AK-FLEX, therefore no additional fastening to the facade is necessary

Glass heights 50 to 110 cm and system widths up to 280 cm; with filigree glass edge protection

^{*}Test certificate according to DIN 18008 for use in Germany is available. Under certain circumstances, coordination with local authorities may be necessary. We recommend you to inform yourself accordingly.





CONVENIENT OPERATION

THE RIGHT ONE FOR EVERY APPLICATION

Regardless of whether the motorisation is planned for a new building or is carried out afterwards during a renovation, with modern radio motors you have all the functionality you need to conveniently control individual roller shutters or groups of roller shutters from your sofa or desk.

With automatic controls, the roller shutter and sun shading systems fully open and close automatically - even when you are not at home.

Radio control

Radio drives with hand-held transmitters or timers offer additional convenience



With suitable hand-held transmitters or timers, sun protection systems are Smart Home compatible and can be integrated into existing house controls





Built-on roller shutters

Profile	M 317 foamed aluminium profile	KM 317 PVC roller shutter profile	M 521 foamed aluminium profile	KM 521 PVC roller shutter profile	
	37 7.8 7.7 8.7	37	2 S S S S S S S S S S S S S S S S S S S	2 8 8 S	
Technical data					
Profile blind surface Weight (./. final slat): Max. width	37,0 mm 2,80 kg/m² 290 cm	37,0 mm 3,00 kg/m² 200 cm	52,2 mm 3,10 kg/m² 380 cm	52,2 mm 3,60 kg/m ² 280 cm	
Max. surface	6,5 m²	3,0 m²	8,5 m²	4,6 m²	
Profile colours	white light ivory light beige santiago grey grey cream white light grey velvet grey naturel grey aluminium DB 703 basalt grey charcoal concrete grey quartz grey black-grey deep black moss green purple red bronce dark beige velvet brown oak golden oak teak	white light ivory light beige santiago grey grey wooden colour	white light ivory light beige santiago grey grey cream white light grey velvet grey naturel grey aluminium DB 703 charcoal moss green velvet brown jamaican brown oak teak	white light ivory light beige santiago grey grey wooden colour	

Top-mounted roller shutter

slats	F 80 Flat slats	CV 80 flanged slats	Z 80 Z-shaped, flanged slats	LS 80 Light guiding slats		
	78 8,3	10,5	© 000 miles	111		
Technical data for AK-FLEX						
max. width	500 cm	500 cm	400 cm	400 cm		
max. height	450 cm	300 cm	260 cm	260 cm		
Slat colours						
	RAL 7016 anthracite grey					
	RAL 7021 black grey					
	RAL 7035 light grey					
	RAL 7038 agate grey					
	RAL 8019 grey-brown					
	RAL 9001 cream white					
	RAL 9006 white aluminium					
	RAL 9007 grey aluminium					
	RAL 9016 traffic white					
	DB 703 iron-mica					

ZipTex (only for AK-FLEX)

Curtain variant
Satiné 5500
SOLTIS® VeoZip
SOLTIS® 86
SOLTIS® 92
SOLTIS® B92 (blackout fabric)


OVERVIEW

TOP-MOUNTED AND RENOVATION BOX

AK-FLEX

A B Shape of box Shape of bo			Box dimen- sions in mm		/m²K)
270 270 260 0.58 300 300 260 0.52 365 365 260 0.47 270 270 260 0.53 300 300 260 0.46 300 300 260 0.46 365 365 260 0.40 300 300 260 0.44 300 300 260 0.43 365 365 260 0.35 365 260 0.35 365 260 0.35 365 260 0.35 365 260 0.57 348 283 283 260 0.57 348 348 260 0.58 283 283 260 0.49 283 283 260 0.49 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.44 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 283 260 0.47 283 283 283 260 0.47 283 283 283 260 0.47 283 28	Shape of box	Base size	A	В	Usb value (W/m²K)
270 260 0.58					
300 300 260 0.52 365 365 260 0.47 270 270 260 0.53 300 300 260 0.46 365 365 260 0.40 270 270 260 0.44 300 300 260 0.44 300 300 260 0.43 365 365 260 0.35 AK-FLEX clinker boxes 253 253 260 0.57 348 348 260 0.50 External inspection 253 253 260 0.58 283 283 260 0.49 348 348 260 0.42 253 253 253 260 0.42 253 253 253 260 0.42 253 253 253 260 0.42 253 253 253 260 0.42 253 253 253 260 0.42 253 253 253 260 0.44 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 284 285 285 260 0.47 285 285 285 285 285 285 386 387 387 387 387 388 388 288 288 288 388 288 288 288 288 388 288 288 288 288 388 288 288 288 288 388 288 288 288 388 288 288 288 388 288 288 288 388 288 288 288 388 288 288 288 388 288 288 388 288 288 388 288 288 388 288 288 388 288 288 388 288 288 388 388		270	270	260	0.58
270 270 260 0.53 300 300 260 0.46 365 365 260 0.40 300 300 260 0.44 300 300 260 0.43 365 365 260 0.35 365 260 0.35 365 260 0.57 348 348 260 0.50 348 348 260 0.58 283 283 260 0.49 283 283 260 0.49 283 283 260 0.49 283 283 260 0.42 283 283 260 0.42 283 283 260 0.47 283		300	300	260	0.52
270 270 260 0.53	Internal inspection		365	260	0.47
300 300 260 0.46		270	270	260	0.53
270 270 260 0.44 300 300 260 0.43 365 365 260 0.35 365 260 0.35 365 260 0.65 283 283 260 0.57 283 283 260 0.50 283 283 260 0.50 283 283 260 0.49 283 283 260 0.42 283 283 260 0.42 283 283 260 0.44 283 283 260 0.44 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47 283 283 260 0.47			300	260	0.46
300 300 260 0.43	External inspection		365	260	0.40
300 300 260 0.43		270	270	260	0.44
AK-FLEX clinker boxes 253	8	300	300	260	0.43
253 253 260 0.65 283 283 260 0.57	Venetian blinds	365	365	260	0.35
283 283 260 0.57	AK-FLEX clinker boxes				
283 283 260 0.57 348 348 260 0.50 253 253 260 0.58 283 283 260 0.49 348 348 260 0.42 253 253 260 0.44 283 283 260 0.47		253	253	260	0.65
253 253 260 0.58		283	283	260	0.57
283 283 260 0.49 348 348 260 0.42 253 253 260 0.44 283 283 260 0.47	Internal inspection		348	260	0.50
Z83 Z83 Z80 0.49 348 348 260 0.42 253 253 260 0.44 283 283 260 0.47		253	253	260	0.58
253 253 260 0.44 283 283 260 0.47		283	283	260	0.49
283 283 260 0.47	External inspection		348	260	0.42
		253	253	260	0.44
Venetian blinds 348 348 260 0.37	Venetian blinds		283	260	0.47
			348	260	0.37

Types of installation



Standard foils of guide rails for AK-FLEX







Golden oak (Renolit 9.2178.001-116700)



Anthracite grey (Renolit 02.11.71.000041-116700)



Anthracite grey smooth (Renolit 02.11.71.000041-808300)



DB 703 (Hornschuch 436-1014)

Further foils available on request.



Subject to technical changes. Colour deviations are printing related.


ALUKON COLOUR RANGE

FOR ALL POWDER-COATED ALUMINIUM PRODUCTS

ALUKON RAL colour collection

in gloss, matt and textured paint coating

All other RAL colours, as well as roll-formed panels, prefabricated elements with roll-formed boxes in RAL, all extruded roller shutter profiles and finished shells are excluded from this special regulation. The corresponding prices and surcharges can be found in our catalogue or our item price list.



Surface qualities

All aluminium surfaces are durable, easy to clean and have facade suitability with good light and weathering resistance. All products are coated in our own state-of-the-art powder-coating facility in the desired colours and surface qualities - Made in Germany.

ALUKON SUN PROTECTION, ROLLER SHUTTERS AND INSECT SCREENS

QUALITY PRODUCTS MADE IN GERMANY

ALUKON is one of the leading German manufacturers of roller shutters, sun and insect protection products. Our production takes place at two locations in Konradsreuth in Upper Franconia and Haigerloch in Swabia.

ALUKON products are developed with great commitment and a high level of innovation and are made to measure from high-quality and durable materials, whether for modernisation or new construction.

Find the right product and colour variety for your needs and choose from a wide range of additional options. We offer you customised complete solutions from a single source.

With ALUKON products, you can individually adapt the privacy, indoor climate and lighting mood in the room.

More products and innovations can also be found at WWW.ALUKON.COM

Am Griesbaum 1 | D-72401 Haigerloch | **Telephone:** +49 7474 3914-0 | **E-mail:** info.haigerloch@alukon.com

Consulting, planning, sales and assembly. Everything from one source.

